

# boot dryer speedDry type ST10 Gen4

## boot dryer 10 pairs

Boot dryer in the speedDry series, made of hot galvanised sheet metal, powder-coated. 20 aluminium dryer arms for shoes and gloves (oval aluminium) with unique Steurer speed-Dry blow-out end caps. Powerful ebm-papst blower with approx. 385 m<sup>3</sup> air displacement per hour, high-quality stainless steel heating coil to heat the air (overtemperature protection), with optimum ionisation unit to neutralise odours and remove pathogens from the air in an ozone-free manner.

The new xControl control unit with colour display and industry-standard plastic foil keyboard provides the operator with a simple and intuitive as well as multi-lingual user interface for managing the timing and power consumption of the system. The timers have variable settings and a countdown time can also be enabled (countdown function). As an option, the xControl controller is also able to activate a definable drying cycle, which it does using an external input (EIB/house controller etc.).



pedestal as option



### PRODUCT INFO:

|                    |                          |
|--------------------|--------------------------|
| W / H / D          | 60   183   62 cm         |
| Connected load     | 2150 W                   |
| Color              | RAL 7016 anthracite grey |
| Shoes              | 10 pairs                 |
| Connection ratings | 230 V AC   50 Hz         |
| Item No.           | tr-spe-50076             |



# dryingSystems speedDry

produktline features



powerful ebm-papst fan,  
high quality stainless-steel  
heating coil



simple operation via the new  
xControl control unit with  
colour display



prepared for wall mounting



new, extremely solid oval  
drying arms made of anodi-  
sed aluminium for shoes with  
unique Steurer speedDry air  
end caps



pedestal available as option

## dryingSystems speedDry the technology

- The dryers in the speedDry series are available in various designs and offer lots of equipment options.
- They are divided into three product groups:
  - Drying cabinet speedDry (4/6/8)
  - Universal dryer speedDry (4/6/8)
  - Shoe dryer speedDry (10/15/20 pairs)
- We only use quality galvanised sheet metal: in combination with our own powder coating, we guarantee excellent protection from corrosion.
- The latest in ebm-papst fans combined with heated air guarantee an energy efficient drying environment that is easy on your equipment.
- As an additional highlight, the speedDry System can be equipped with ozone-free ionisation units which sterilise the air and neutralise odours.
- The new xControl control unit with colour display and industrial membrane keyboard offers the user a multilingual interface for simple and intuitive systems' time and energy management.
- The timers can be set as desired, and a countdown timer may be activated (egg timer function). The xControl controls also offer the option of activating a defined drying cycle via an external input (EIB/house controls, etc.).



**dryingCabinet speedDry**  
(4/6/8)



**universal dryer speedDry**  
(4/6/8)



**boot dryer speedDry**  
(10/15/20 pairs)